



# AGRICULTURAL HOSE & COUPLINGS

## PRODUCT GUIDE

 **JASON<sup>®</sup>  
INDUSTRIAL**



**JASON INDUSTRIAL®** an AMMEGA Group company offers a comprehensive portfolio of industrial hose, couplings and accessories along with hydraulic hose, fittings and crimping equipment to distributors throughout the Americas.

With corporate headquarters located in West Caldwell, NJ, Jason Industrial operates distributor centers throughout North, Central and South America.

As a Jason Industrial customer, you can feel confident in the quality and integrity of our products, the speed and efficiency at which they are delivered, and the expertise and customer focus that our local representatives are committed to providing.

Welcome to Jason Industrial... your partner of choice for Agricultural fluid power, rubber, and PVC hose products and accessories.

**—WE MAKE YOUR AGRICULTURAL BUSINESS MOVE.**



Scan the QR Code to view all of our resources at  
[www.JasonIndustrial.com](http://www.JasonIndustrial.com)

**AGRICULTURE / RETAIL  
PRODUCT CUSTOMER SERVICE**

**+1.800.527.1247**

**FAX:**

**+1.630.752.0680**

Available for USA/Canada based customers.  
Please contact your sales rep for more info.

In compliance with California law and Proposition 65 requirements, products in this publication may be subject to the following statement:



**WARNING:** This product can expose you to chemicals including carbon black, DINP, lead, styrene or titanium dioxide which is known to the State of California to cause cancer, birth defects or other reproductive harm.  
For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# TABLE OF CONTENTS

<b>Air Hose .....</b>	<b>2</b>
<i>EPDM</i>	
<i>SBR</i>	
<i>PVC</i>	
<b>Farm Tank Hose.....</b>	<b>3</b>
<b>Fuel Nozzles, Swivels &amp; Accessories.....</b>	<b>4-5</b>
<b>Hydraulic Hose &amp; Accessories.....</b>	<b>6-7</b>
<i>(Available with solid and solid/swivel ends.)</i>	
<b>Hydraulic Fittings &amp; Adapters .....</b>	<b>8-13</b>
<b>Quick Disconnect Fittings.....</b>	<b>14</b>
<b>Pump Hoses, Strainers &amp; Accessories.....</b>	<b>15-21</b>
<i>Discharge</i>	
<i>Suction</i>	
<i>Suction: Food Grade</i>	
<i>Fertilizer Solution</i>	
<i>Strainers</i>	
<b>Couplings.....</b>	<b>22-26</b>
<i>Cam &amp; Groove: Aluminum/Polypropylene</i>	
<i>Dust Caps</i>	
<i>Dust Plugs</i>	
<i>Rubber Gaskets</i>	
<i>Combination Hose Nipples</i>	
<b>Tubing &amp; Hose .....</b>	<b>27-28</b>
<i>Braided PVC</i>	
<i>EVA</i>	
<i>EPDM</i>	
<b>Terms, Conditions and Limited Warranty of Sale .....</b>	<b>29</b>

## EPDM



PART NUMBER	UPC	I.D.		LENGTH
		INCH	MM	
4300-0025-500	746041648558	1/4"	6.35	500'
4300-0031-500	746041648565	5/16"	7.94	500'
4300-0038-500	746041648572	3/8"	9.53	500'
4300-0050-500	746041648589	1/2"	12.70	500'
4300-0062-500	746041648596	5/8"	15.88	500'
4300-0075-500	746041648602	3/4"	19.05	500'
4300-0100-500	746041648619	1"	25.40	500'
4300-0125-400	746041654306	1-1/4"	31.75	400'
4300-0150-400	746041648633	1-1/2"	38.10	400'
4300-0200-250	746041648640	2"	50.80	250'

**Working pressure (W.P.) is temperature dependent. See the General Information section Table II - Pressure Re-Rating for increased Temperatures in the Industrial Hose Guide for more information.**



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## SBR



### Features

- Coupled male brass ends

### Specifications

**Material** - SBR rubber

**Working Pressure** - 300 PSI

PART NUMBER	UPC	SIZE	LENGTH
4120-037450	7406041055240	3/8"	50'
4120-050050	—	1/2"	50'



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PVC



### Features

- Coupled male brass ends
- Bend restrictor

### Specifications

**Material** - PVC

**Working Pressure** - 300 PSI

**Contact Customer Service for Availability.**  
**Made to order on all sizes.**

PART NUMBER	UPC	SIZE	LENGTH
4103-025406	746041056360	1/4"	6'
4103-025425	746041020576	1/4"	25'
4103-025450	746041020569	1/4"	50'
4103-037425	746041020590	3/8"	25'
4103-037450	746041020583	3/8"	50'



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# FARM TANK HOSE



## FARM TANK FUEL TRANSFER HOSE - BLACK

### Features

- Class A (low permeation) tube
- 2-spiral, high tensile polyester reinforced
- Internal spring guards prevent kinking
- Internal static wire
- Up to 15% Ethanol or Bio-Diesel

### Specifications

**Material:** NBR, RMA CLASS A

**Working Pressure:** 60 PSI

**Burst Pressure:** 240 PSI

**Temperature:** -20°F (-29°C) to +160°F (+71°C)



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



PART NUMBER	UPC	SIZE
4126-07510AP	746041019280	3/4" x 10'
4126-07512AP	746041019297	3/4" x 12'
4126-07514AP	746041019303	3/4" x 14'
4126-07515AP	746041019310	3/4" x 15'
4126-07520AP	746041019327	3/4" x 20'

PART NUMBER	UPC	SIZE
4126-10010AP	746041019341	1" x 10'
4126-10012AP	746041019358	1" x 12'
4126-10014AP	746041019365	1" x 14'
4126-10015AP	746041019372	1" x 15'
4126-10020AP	746041019389	1" x 20'

## FARM TANK FUEL TRANSFER HOSE - GREEN

### Features

- Class A (low permeation) tube
- 2-spiral, high tensile polyester reinforced
- Internal spring guards prevent kinking
- Internal static wire
- Up to 15% Ethanol or Bio-Diesel

### Specifications

**Material:** NBR, RMA CLASS A

**Working Pressure:** 60 PSI

**Burst Pressure:** 240 PSI

**Temperature:** -20°F (-29°C) to +160°F (+71°C)



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



PART NUMBER	UPC	SIZE
4127-07510AP	746041055501	3/4" x 10'
4127-07512AP	746041054915	3/4" x 12'
4127-07514AP	746041055028	3/4" x 14'
4127-07515AP	746041054922	3/4" x 15'
4127-07520AP	746041055035	3/4" x 20'

PART NUMBER	UPC	SIZE
4127-10010AP	746041055042	1" x 10'
4127-10012AP	746041054939	1" x 12'
4127-10014AP	746041055059	1" x 14'
4127-10015AP	746041054946	1" x 15'
4127-10020AP	746041055066	1" x 20'



# FUEL NOZZLES, SWIVELS & ACCESSORIES

## MANUAL (GRAVITY FLOW) FUEL NOZZLE WITH INLET SWIVEL




**Application:** For off-road and farm equipment from a gravity flow tank. For use with gasoline, kerosene, diesel and most petroleum-based products.

**Construction:** Lightweight aluminum body. Unique level handle design for smooth ease of handling flow control. Makes topping off easy. Features a brass 360° rotary inlet swivel. Shuts off with minimal line shock.

PART NUMBER	UPC	SIZE
A2000-075	746041061739	3/4" INLET x 13/16" SPOUT
A2000-100	746041061678	1" INLET X 1" SPOUT

## AUTOMATIC SHUT-OFF FUEL NOZZLES



**Application:** Perfect for those looking for a quality, economical nozzle. For use with gasoline, 15% ethanol, diesel, 20% bio-blend.

**Construction:** 3/4" inlet NPT, 13/16" spout. Flow rate 14 GPM. Hold open handle clip for fast, effortless self-setting filling convenience. Lightweight, low-profile aluminum body and full hand insulator that protects the nozzle, vehicle and user's hand.

**Features:** 15 PSI is required to operate auto-shut off. Nozzle shuts off at 3 GPM.

PART NUMBER	UPC	SIZE
A2100-07513	746041061715	3/4" INLET NPT x 13/16" SPOUT



**Application:** With quality and economic features of A2100-07513, increased flow rate is the added (universal) feature of this nozzle.

**Construction:** 3/4" inlet NPT, 15/16" spout. Flow rate 18 GPM. Hold open handle clip for fast, effortless self-setting filling convenience. Lightweight, low-profile aluminum body and full hand insulator that protects the nozzle, vehicle and user's hand.

**Features:** 15 PSI is required to operate auto-shut off. Nozzle shuts off at 3 GPM.

PART NUMBER	UPC	SIZE
A2100-07515	746041061722	3/4" INLET NPT x 15/16" SPOUT



**Application:** A true "Universal" nozzle that matches user convenience with full flow rates.

**Construction:** 1" inlet NPT, 1" spout. Flow rate 22 GPM. Unique new 3-stage flow set trigger concealed within the handle for remarkable operating ease. Ultra-lightweight aluminum body and full hand insulator that protects the nozzle, vehicle and user's hand.

**Features:** 15 PSI is required to operate auto-shut off. Nozzle shuts off at 3 GPM.

PART NUMBER	UPC	SIZE
A2111-100	746041062231	1" INLET NPT x 1" SPOUT



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm.  
For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# FUEL NOZZLES, SWIVELS & ACCESSORIES



## 45° TRUCK STOP SWIVEL

**Application:** Designed for self-service where easy nozzle and hose handling is important for user convenience. It is installed between the nozzle and hose to reduce strain, provide flexibility in hose to nozzle positioning for twist, kink-free hose movement.

**Construction:** Aluminum, double-swivel, 45° angled with brass adapter, all Viton seals.

PART NUMBER	UPC	SIZE
A1045-075	746041061685	3/4" MALE x FEMALE PIPE THREAD THREAD
A1045-100	746041061692	1" MALE x FEMALE PIPE THREAD THREAD



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## UNIVERSAL (FULL CIRCLE) SWIVELS

**Application:** Swivel is designed for use between hose and nozzle. The full-circle swivel reduces physical strain by aligning nozzle with fill-pipe. Thread combinations adapt to all size combinations between hose and nozzle.

**Construction:** Aluminum body, brass plated swivel bushing, Viton and Buna-N seals.

PART NUMBER	UPC	SIZE
701	746041061746	3/4" NPT MALE x 3/4" NPT FEMALE
703	746041061753	3/4" NPT MALE x 1" NPT FEMALE
709	746041061760	1" NPT MALE x 3/4" NPT FEMALE
711	746041061777	1" NPT MALE x 1" NPT FEMALE



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## NOZZLE SPLASH GUARDS

PART NUMBER	UPC	DESCRIPTION
SG-R	746041061784	UNLEADED SPLASH GUARD
SG-G	746041061791	DIESEL SPLASH GUARD



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

\*Product available upon request.





# HYDRAULIC HOSE & ACCESSORIES



GOLD - 1/4" x SOLID	BLUE - 1" x SOLID
BROWN - 3/8" x SOLID	SILVER - 3/4" x SOLID
GREEN - 1/2" x SOLID	

Color-coded labels make product identifying easy!



2-Wire Braid  
Hose is 100R2



Solid Male End

## MALE SOLID NPT x MALE SOLID NPT

### 1/4" 2-WIRE BRAID 5800 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4920-0025-0012P	746041064105	1/4" x 12"
4920-0025-0018P	746041055257	1/4" x 18"
4920-0025-0024P	746041055264	1/4" x 24"
4920-0025-0030P	746041063962	1/4" x 30"

PART NUMBER	UPC	SIZE
4920-0025-0036P	746041055271	1/4" x 36"
4920-0025-0048P	746041055288	1/4" x 48"
4920-0025-0060P	746041055295	1/4" x 60"
4920-0025-0072P	746041064488	1/4" x 72"

### 3/8" 2-WIRE BRAID 4500 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4920-0038-0012P	746041021443	3/8" x 12"
4920-0038-0018P	746041021450	3/8" x 18"
4920-0038-0024P	746041021221	3/8" x 24"
4920-0038-0030P	746041021849	3/8" x 30"
4920-0038-0036P	746041021269	3/8" x 36"
4920-0038-0048P	746041021276	3/8" x 48"
4920-0038-0060P	746041021238	3/8" x 60"

PART NUMBER	UPC	SIZE
4920-0038-0072P	746041021283	3/8" x 72"
4920-0038-0084P	746041021467	3/8" x 84"
4920-0038-0096P	746041021290	3/8" x 96"
4920-0038-0108P	746041021306	3/8" x 108"
4920-0038-0120P	746041021474	3/8" x 120"
4920-0038-0144P	746041021313	3/8" x 144"
4920-0038-0168P	746041054953	3/8" x 168"

### 1/2" 2-WIRE BRAID 3500 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4920-0050-0012P	746041021481	1/2" x 12"
4920-0050-0018P	746041021498	1/2" x 18"
4920-0050-0024P	746041021320	1/2" x 24"
4920-0050-0030P	746041021788	1/2" x 30"
4920-0050-0036P	746041021245	1/2" x 36"
4920-0050-0042P	746041021771	1/2" x 42"
4920-0050-0048P	746041021887	1/2" x 48"
4920-0050-0060P	746041021160	1/2" x 60"
4920-0050-0072P	746041021177	1/2" x 72"

PART NUMBER	UPC	SIZE
4920-0050-0084P	746041021184	1/2" x 84"
4920-0050-0096P	746041021191	1/2" x 96"
4920-0050-0108P	746041021207	1/2" x 108"
4920-0050-0120P	746041021252	1/2" x 120"
4920-0050-0132P	746041021764	1/2" x 132"
4920-0050-0144P	746041021214	1/2" x 144"
4920-0050-0168P	746041021801	1/2" x 168"
4920-0050-0180P	746041021818	1/2" x 180"
4920-0050-0192P	746041021924	1/2" x 192"

### 3/4" 2-WIRE BRAID 3118 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4920-0075-0024P	746041054977	3/4" x 24"
4920-0075-0036P	746041054984	3/4" x 36"
4920-0075-0048P	746041054991	3/4" x 48"
4920-0075-0060P	746041062866	3/4" x 60"

PART NUMBER	UPC	SIZE
4920-0075-0072P	746041064099	3/4" x 72"
4920-0075-0096P	746041064082	3/4" x 96"
4920-0075-0120P	746041064075	3/4" x 120"

### 1" 2-WIRE BRAID 2393 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4290-0100-0030P	746041493097	1" x 30"
4290-0100-0036P	746041493103	1" x 36"
4290-0100-0048P	746041493110	1" x 48"
4290-0100-0060P	746041493127	1" x 60"



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

# HYDRAULIC HOSE & ACCESSORIES



RED - 3/8" x SWIVEL  
PURPLE - 1/2" x SWIVEL  
ORANGE - 3/4" x SWIVEL



## MALE SOLID NPT x MALE SWIVEL NPT

### 3/8" 2-WIRE BRAID 4500 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4921-0038-0012P	746041062781	3/8" x 12"
4921-0038-0018P	746041053307	3/8" x 18"
4921-0038-0024P	746041053314	3/8" x 24"
4921-0038-0030P	746041053321	3/8" x 30"
4921-0038-0036P	746041053338	3/8" x 36"
4921-0038-0048P	746041053345	3/8" x 48"
4921-0038-0060P	746041053352	3/8" x 60"
4921-0038-0072P	746041053369	3/8" x 72"

PART NUMBER	UPC	SIZE
4921-0038-0084P	746041053376	3/8" x 84"
4921-0038-0096P	746041053383	3/8" x 96"
4921-0038-0108P	746041053390	3/8" x 108"
4921-0038-0120P	746041053406	3/8" x 120"
4921-0038-0132P	746041053413	3/8" x 132"
4921-0038-0144P	746041053420	3/8" x 144"
4921-0038-0168P	746041064082	3/8" x 168"

### 1/2" 2-WIRE BRAID 3500 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4921-0050-0012P	746041053437	1/2" x 12"
4921-0050-0018P	746041053444	1/2" x 18"
4921-0050-0024P	746041053451	1/2" x 24"
4921-0050-0030P	746041053468	1/2" x 30"
4921-0050-0036P	746041053475	1/2" x 36"
4921-0050-0048P	746041053499	1/2" x 48"
4921-0050-0060P	746041053505	1/2" x 60"
4921-0050-0072P	746041053512	1/2" x 72"
4921-0050-0084P	746041053529	1/2" x 84"

PART NUMBER	UPC	SIZE
4921-0050-0096P	746041053536	1/2" x 96"
4921-0050-0108P	746041053543	1/2" x 108"
4921-0050-0120P	746041053550	1/2" x 120"
4921-0050-0132P	746041053567	1/2" x 132"
4921-0050-0144P	746041053574	1/2" x 144"
4921-0050-0168P	746041053598	1/2" x 168"
4921-0050-0180P	746041053604	1/2" x 180"
4921-0050-0192P	746041053611	1/2" x 192"

### 3/4" 2-WIRE BRAID 3118 PSI HOSE MAX W.P.

PART NUMBER	UPC	SIZE
4921-0075-0012P	746041065195	3/4" x 12"
4921-0075-0018P	746041065201	3/4" x 18"
4921-0075-0024P	746041064549	3/4" x 24"
4921-0075-0036P	746041064556	3/4" x 36"
4921-0075-0048P	746041064563	3/4" x 48"

PART NUMBER	UPC	SIZE
4921-0075-0060P	746041064570	3/4" x 60"
4921-0075-0072P	746041065218	3/4" x 72"
4921-0075-0096P	746041065225	3/4" x 96"
4921-0075-0120P	746041065232	3/4" x 120"

## GREASE GUN HOSE (WHIP) - 3000 PSI W.P.

PART NUMBER	UPC	SIZE
GWH1200	746041059422	3/16" x 12"
GWH1800	746041059439	3/16" x 18"
GWH2400	746041059446	3/16" x 24"
GWH3600	746041059453	3/16" x 36"





**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# HYDRAULIC FITTINGS & ADAPTERS

## ADAPTER NOMENCLATURE



CONFIGURATION	TYPE	DESCRIPTION
1404	MP-FPX	Male x Female Straight Adapters
1405	FP-FPX	Female x Female Straight Adapters
1406	FPX-FPX	Female x Female Straight Adapters
1501	MP-FPX	90° Adapters
1502	FP-FPX	90° Adapters
1503	MP-FPX	45° Adapters
2403	MJ-MJ	Male x Male Straight Adapters
2404	MJ-MP	Male x Male Straight Adapters
2405	MJ-FP	Male x Female Straight Adapters
2501	MJ-MP	90° Adapters
5406	MP-FP	Reducer Bushings
5504	FP-FP	90° Adapters
5605	FP-FP-FP	TEE Adapters
6401	MORB-MP	Male x Male Straight Adapters
6404	FORB-MP	Female x Male Straight Adapters
6405	MORB-FP	Male x Female Straight Adapters
6410	MORB-FORB	Male x Female Straight Adapters
6420	FP-FORB	Female x Female Straight Adapters
6425	FORB-FORB	Female x Female Straight Adapters
6506	FP-FJX	Female x Female Straight Adapters
6900	MORB-FPX	Male x Female Straight Adapters
6901	MORB-FPX	90° Adapters
6902	MORB-FPX	45° Adapters

CODE	THREAD CONFIGURATION
B	ORing Boss
F	Female
J	JIC Thread
M	Male
OR	ORing
P	Pipe Thread NPTF or NPSM
R	Restricted Orifice
X	Swivel


SIZE DASH #	THREAD CONFIGURATION
-2	1/8"
-3	3/16"
-4	1/4"
-5	5/16"
-6	3/8"
-8	1/2"
-10	5/8"
-12	3/4"

# HYDRAULIC FITTINGS & ADAPTERS



PART NUMBER	UPC	DESCRIPTION
1404-4-4	746041054441	1/4" ML PIPE x 1/4" FEM PIPE SWIVEL
1404-4-6	746041056421	1/4" ML PIPE x 3/8" FEM PIPE SWIVEL
1404-6-4	746041056438	3/8" ML PIPE x 1/4" FEM PIPE SWIVEL
1404-6-6	746041054434	3/8" ML PIPE x 3/8" FEM PIPE SWIVEL
1404-6-8	746041054458	3/8" ML PIPE x 1/2" FEM PIPE SWIVEL
1404-8-4	746041056445	1/2" ML PIPE x 1/4" FEM PIPE SWIVEL
1404-8-6	746041054465	1/2" ML PIPE x 3/8" FEM PIPE SWIVEL
1404-8-8	746041054496	1/2" ML PIPE x 1/2" FEM PIPE SWIVEL
1404-12-8	746041056469	3/4" ML PIPE x 1/2" FEM PIPE SWIVEL
1404-12-12	746041055356	3/4" ML PIPE x 3/4" FEM PIPE SWIVEL


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**1404**

PART NUMBER	UPC	DESCRIPTION
1405-6-6	746041054526	3/8" FEM PIPE x 3/8" FEM PIPE SWIVEL
1405-8-6	746041056636	1/2" FEM PIPE x 3/8" FEM PIPE SWIVEL
1405-8-8	746041054533	1/2" FEM PIPE x 1/2" FEM PIPE SWIVEL


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**1405**

PART NUMBER	UPC	DESCRIPTION
1406-6-6	746041054540	3/8" FEM PIPE SWIVEL x 3/8" FEM PIPE SWIVEL
1406-8-8	746041054557	1/2" FEM PIPE SWIVEL x 1/2" FEM PIPE SWIVEL


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**1406**

PART NUMBER	UPC	DESCRIPTION
1501-4-4	746041055370	1/4" ML PIPE x 1/4" FEM PIPE SWIVEL, 90°
1501-4-6	746041064136	1/4" ML PIPE x 3/8" FEM PIPE SWIVEL, 90°
1501-6-6	746041054571	3/8" ML PIPE x 3/8" FEM PIPE SWIVEL, 90°
1501-6-8	746041055387	3/8" ML PIPE x 1/2" FEM PIPE SWIVEL, 90°
1501-8-6	746041055394	1/2" ML PIPE x 3/8" FEM PIPE SWIVEL, 90°
1501-8-8	746041054588	1/2" ML PIPE x 1/2" FEM PIPE SWIVEL, 90°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**1501**

PART NUMBER	UPC	DESCRIPTION
1502-4-4	746041063825	1/4" FEM PIPE x 1/4" FEM PIPE SWIVEL, 90°
1502-6-6	746041054595	3/8" FEM PIPE x 3/8" FEM PIPE SWIVEL, 90°
1502-8-8	746041054601	1/2" FEM PIPE x 1/2" FEM PIPE SWIVEL, 90°

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)




**1502**



# HYDRAULIC FITTINGS & ADAPTERS


45°



**1503**

PART NUMBER	UPC	DESCRIPTION
1503-6-6	746041054618	3/8" ML PIPE x 3/8" FEM PIPE SWIVEL, 45°
1503-6-8	746041064143	3/8" ML PIPE x 1/2" FEM PIPE SWIVEL, 45°
1503-8-8	746041054625	1/2" ML PIPE x 1/2" FEM PIPE SWIVEL, 45°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**2403**

PART NUMBER	UPC	DESCRIPTION
2403-6-6	746041064150	3/8" ML JIC x 3/8" ML JIC
2403-8-8	746041056865	1/2" ML JIC x 1/2" ML JIC
2403-12-12	746041064167	3/4" ML JIC x 3/4" ML JIC


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**2404**

PART NUMBER	UPC	DESCRIPTION
2404-4-4	746041064174	1/4" ML JIC x 1/4" ML PIPE
2404-6-6	746041055417	3/8" ML JIC x 3/8" ML PIPE
2404-8-6	746041056681	1/2" ML JIC x 3/8" ML PIPE
2404-8-8	746041056698	1/2" ML JIC x 1/2" ML PIPE
2404-10-8	746041055424	5/8" ML JIC x 1/2" ML PIPE
2404-12-12	746041056704	3/4" ML JIC x 3/4" ML PIPE

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)




**2405**

PART NUMBER	UPC	DESCRIPTION
2405-6-6	746041056476	3/8" ML JIC x 3/8" FEM PIPE
2405-6-8	746041064181	3/8" ML JIC x 1/2" FEM PIPE
2405-8-6	746041054632	1/2" ML JIC x 3/8" FEM PIPE
2405-8-8	746041056483	1/2" ML JIC x 1/2" FEM PIPE
2405-10-8	746041054649	5/8" ML JIC x 1/2" FEM PIPE
2405-12-8	746041064198	3/4" ML JIC x 1/2" FEM PIPE

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

90°



**2501**

PART NUMBER	UPC	DESCRIPTION
2501-4-4	746041064204	1/4" ML JIC x 1/4" ML PIPE RIGID, 90°
2501-4-6	746041064211	1/4" ML JIC x 3/8" ML PIPE RIGID, 90°
2501-6-6	746041056902	3/8" ML JIC x 3/8" ML PIPE RIGID, 90°
2501-6-8	746041056919	3/8" ML JIC x 1/2" ML PIPE RIGID, 90°
2501-8-6	746041064228	1/2" ML JIC x 3/8" ML PIPE RIGID, 90°
2501-8-8	746041056926	1/2" ML JIC x 1/2" ML PIPE RIGID, 90°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

# HYDRAULIC FITTINGS & ADAPTERS



PART NUMBER	UPC	DESCRIPTION
5406-4-2	746041064235	1/4" ML PIPE x 1/8" FEM PIPE REDUCER
5406-6-4	746041054656	3/8" ML PIPE x 1/4" FEM PIPE REDUCER
5406-8-4	746041064242	1/2" ML PIPE x 1/4" FEM PIPE REDUCER
5406-8-6	746041056872	1/2" ML PIPE x 3/8" FEM PIPE REDUCER
5406-12-8	746041056889	3/4" ML PIPE x 1/2" FEM PIPE REDUCER


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**5406**

PART NUMBER	UPC	DESCRIPTION
5504-4-4	746041064433	1/4" FEM PIPE x 1/4" FEM PIPE, 90°
5504-6-4	746041064440	3/8" FEM PIPE x 1/4" FEM PIPE, 90°
5504-6-6	746041064457	3/8" FEM PIPE x 3/8" FEM PIPE, 90°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**5504**

PART NUMBER	UPC	DESCRIPTION
5605-4	746041064464	1/4" FEM PIPE TEE
5605-6	746041064471	3/8" FEM PIPE TEE


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**5605**

PART NUMBER	UPC	DESCRIPTION
6401-6-6	746041064259	3/8" ML O-RING x 3/8" ML PIPE
6401-8-8	746041056858	1/2" ML O-RING x 1/2" ML PIPE
6401-10-8	746041064266	5/8" ML O-RING x 1/2" ML PIPE


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6401**

PART NUMBER	UPC	DESCRIPTION
6404-6-6	746041056513	3/8" FEM O-RING x 3/8" ML PIPE
6404-8-8	746041054663	1/2" FEM O-RING x 1/2" ML PIPE
6404-10-8	746041056537	5/8" FEM O-RING x 1/2" ML PIPE


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6404**




# HYDRAULIC FITTINGS & ADAPTERS



**6405**

PART NUMBER	UPC	DESCRIPTION
6405-6-6	746041064273	3/8" ML O-RING x 3/8" FEM PIPE
6405-6-8	746041064280	3/8" ML O-RING x 1/2" FEM PIPE
6405-8-6	746041054670	1/2" ML O-RING x 3/8" FEM PIPE
6405-8-8	746041054687	1/2" ML O-RING x 1/2" FEM PIPE
6405-10-8	746041054694	5/8" ML O-RING x 1/2" FEM PIPE
6405-12-12	746041064297	3/4" ML O-RING x 3/4" FEM PIPE


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6410**

PART NUMBER	UPC	DESCRIPTION
6410-8-6	746041056599	1/2" ML O-RING x 3/8" FEM O-RING
6410-8-10	746041056612	1/2" ML O-RING x 5/8" FEM O-RING
6410-10-8	746041056629	5/8" ML O-RING x 1/2" FEM O-RING


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6420**

PART NUMBER	UPC	DESCRIPTION
6420-6-8	746041064303	3/8" FEM O-RING x 1/2" FEM PIPE
6420-8-8	746041054700	1/2" FEM O-RING x 1/2" FEM PIPE
6420-8-10	746041064310	1/2" FEM O-RING x 5/8" FEM PIPE


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6425**

PART NUMBER	UPC	DESCRIPTION
6425-4-4	746041064389	1/4" FEM O-RING x 1/4" FEM O-RING
6425-6-6	746041064396	3/8" FEM O-RING x 3/8" FEM O-RING
6425-8-6	746041064402	1/2" FEM O-RING x 3/8" FEM O-RING
6425-8-8	746041054717	1/2" FEM O-RING x 1/2" FEM O-RING
6425-12-8	746041064419	3/4" FEM O-RING x 1/2" FEM O-RING
6425-12-12	746041064426	3/4" FEM O-RING x 3/4" FEM O-RING

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6506**

PART NUMBER	UPC	DESCRIPTION
6506-6-6	746041054724	3/8" FEM PIPE x 3/8" FEM JIC SWIVEL
6506-6-8	746041054731	3/8" FEM PIPE x 1/2" FEM JIC SWIVEL
6506-8-6	746041382209	1/2" FEM PIPE x 3/8" FEM JIC SWIVEL
6506-8-8	746041054748	1/2" FEM PIPE x 1/2" FEM JIC SWIVEL
6506-8-10	746041064372	1/2" FEM PIPE x 5/8" FEM JIC SWIVEL
6506-10-8	746041056667	5/8" FEM PIPE x 1/2" FEM JIC SWIVEL

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

# HYDRAULIC FITTINGS & ADAPTERS




AGRICULTURE

WWW.JASONINDUSTRIAL.COM

PART NUMBER	UPC	DESCRIPTION
6900-6-6	746041056582	3/8" ML O-RING x 3/8" FEM PIPE SWIVEL
6900-6-8	746041064327	3/8" ML O-RING x 1/2" FEM PIPE SWIVEL
6900-8-6	746041054779	1/2" ML O-RING x 3/8" FEM PIPE SWIVEL
6900-8-8	746041054786	1/2" ML O-RING x 1/2" FEM PIPE SWIVEL
6900-8-12	746041064334	1/2" ML O-RING x 3/4" FEM PIPE SWIVEL
6900-10-8	746041054793	5/8" ML O-RING x 1/2" FEM PIPE SWIVEL
6900-12-12	746041064341	3/4" ML O-RING x 3/4" FEM PIPE SWIVEL


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6900**

PART NUMBER	UPC	DESCRIPTION
6901-6-6	746041055431	3/8" ML O-RING x 3/8" FEM PIPE SWIVEL, 90°
6901-8-6	746041054809	1/2" ML O-RING x 3/8" FEM PIPE SWIVEL, 90°
6901-8-8	746041054816	1/2" ML O-RING x 1/2" FEM PIPE SWIVEL, 90°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6901**

PART NUMBER	UPC	DESCRIPTION
6902-4-4	746041064358	1/4" ML O-RING x 1/4" FEM PIPE SWIVEL, 45°
6902-6-6	746041064365	3/8" ML O-RING x 3/8" FEM PIPE SWIVEL, 45°
6902-8-8	746041056742	1/2" ML O-RING x 1/2" FEM PIPE SWIVEL, 45°


**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



**6902**







Quick couplings enable fast connection/disconnection of hydraulic attachments by hand in the field without the need for tooling. Its high resistance to environmental corrosive agents and its strong seal in an extensive range of working pressures/temperatures is demonstrated through wide application usage including agriculture, such as tractors and skid steers, and construction.

## QUICK COUPLINGS

**QDM1-0808-FF**  
FEMALE 1/2" NPTF x MALE 1/2" FLAT FACE  
Max Rated Working Pressure 35 MPa (5076 psi)  
Meets ISO 16028



**QDM1-0808-B**  
FEMALE 1/2" NPTF x MALE 1/2" ISO BALL  
Max Rated Working Pressure 20 MPa (2900 psi)  
Meets ISO 7241 part A



**QDM1-0808-P**  
FEMALE 1/2" NPTF x MALE 1/2" ISO POPPET  
Max Rated Working Pressure 25 MPa (3625 psi)  
Meets ISO 7241 part A



**QDM2-0808-P**  
FEMALE 1/2" NPTF x  
MALE 1/2" ORB (3/4"-16) POPPET  
Max Rated Working Pressure 25 MPa (3625 psi)  
Meets ISO 7241 part A



## QUICK COUPLINGS

**QDF1-0808-FF**  
FEMALE 1/2" NPTF x  
Female 1/2" Flat Face  
Max Rated Working Pressure 35 MPa (5076 psi)  
Meets ISO 16028



## QUICK COUPLING SETS

**QDS1-0808-P**  
COUPLING SET  
1/2" NPTF POPPET (BREAKAWAY)  
Max Rated Working Pressure 25 MPa (3625 psi)  
Meets ISO 7241 part A



**QDM1-0808-FF**  
COUPLING SET 1/2" NPTF POPPET  
Max Rated Working Pressure 30 MPa (4351 psi)  
Meets ISO 7241 part A



**QDS1-0606-P**  
COUPLING SET 3/8" NPTF POPPET  
Max Rated Working Pressure 30 MPa (4351 psi)  
Meets ISO 7241 part A



**QDS1-08BHF08-P**  
COUPLING SET 1/2" NPTF  
CONNECT UNDER PRESSURE  
HIGH-FLOW POPPET (BREAKAWAY)  
Max Rated Working Pressure 25 MPa (3625 psi)  
Meets ISO 7241 part A



**QDS1-0404-P**  
COUPLING SET  
1/4" NPTF POPPET  
Max Rated Working Pressure 50 MPa (7251 psi)  
Meets ISO 7241 part A



## ACCESSORIES



**QDP-08**  
DUST PLUG 1/2" BLACK RUBBER (2 PK)

**QDC-08**  
DUST CAP 1/2" BLACK RUBBER (2 PK)

AGRICULTURE / RETAIL  
PRODUCT CUSTOMER SERVICE

**+1.800.527.1247**

FAX:  
**+1.630.752.0680**

Available for USA/Canada based customers.  
Please contact your sales rep for more info.

# PUMP HOSE & ACCESSORIES



## BLUE LAYFLAT BULK PVC WATER DISCHARGE HOSE



**TUBE & COVER:** Blue PVC  
**REINFORCEMENT:** Polyester yarn  
**BRANDING:** Jason logo WP XX (PSI) ID  
**TEMPERATURE RANGE:** -14°F (-26°C) to +150°F (+66°C)  
**FEATURES:** Light and easy to handle; rolls flat for storage. Homogeneous construction eliminates tube and cover separation. Reinforced with polyester yarn, both tube and cover are extruded simultaneously to achieve maximum bonding.  
**APPLICATION:** For general purpose water discharge in construction, agriculture and drip irrigation.

PART NUMBER	UPC	WP	DESCRIPTION
4502-1500-025	746041064617	85	1-1/2" x 25' BLUE PVC DISCHARGE HOSE
4502-1500-050	746041022105	85	1-1/2" x 50' BLUE PVC DISCHARGE HOSE
4502-1500-100	746041465278	85	1-1/2" x 100' BLUE PVC DISCHARGE HOSE
4502-1500	746041022532	85	1-1/2" x 300' BLUE PVC DISCHARGE HOSE
4502-2000-050	746041022051	85	2" x 50' BLUE PVC DISCHARGE HOSE
4502-2000-100	746041465285	85	2" x 100' BLUE PVC DISCHARGE HOSE
4502-2000	746041021078	85	2" x 300' BLUE PVC DISCHARGE HOSE
4502-2500	746041327958	75	2-1/2" x 300' BLUE PVC DISCHARGE HOSE
4502-3000-050	746041022617	70	3" x 50' BLUE PVC DISCHARGE HOSE
4502-3000-100	746041465292	70	3" x 100' BLUE PVC DISCHARGE HOSE
4502-3000	746041055073	70	3" x 300' BLUE PVC DISCHARGE HOSE

25' & 50' cut sections are shrink-wrapped and bar-coded.



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PIN LUG COUPLED DISCHARGE HOSE

### Short Shank - Male/Female, Aluminum/Brass



PART NUMBER	UPC	DESCRIPTION
4502-1500-025AB	746041055080	1-1/2" x 25' BLUE MxF ALUM/BRASS, PIN LUG
4502-1500-050AB	746041055110	1-1/2" x 50' BLUE MxF ALUM/BRASS, PIN LUG
4502-2000-025AB	746041055097	2" x 25' BLUE MxF ALUM/BRASS, PIN LUG
4502-2000-050AB	746041055127	2" x 50' BLUE MxF ALUM/BRASS, PIN LUG
4502-3000-025AB	746041055103	3" x 25' BLUE MxF ALUM/BRASS, PIN LUG
4502-3000-050AB	746041055134	3" x 50' BLUE MxF ALUM/BRASS, PIN LUG



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLED DISCHARGE HOSE

### CxE Polypropylene - "C" Female Coupler & "E" Male Adapter



PART NUMBER	UPC	DESCRIPTION
4502-1500-025CEP	746041055141	1-1/2" x 25' BLUE CxE CPLD, POLYPROPYLENE
4502-1500-050CEP	746041055172	1-1/2" x 50' BLUE CxE CPLD, POLYPROPYLENE
4502-2000-025CEP	746041055158	2" x 25' BLUE CxE CPLD, POLYPROPYLENE
4502-2000-050CEP	746041055189	2" x 50' BLUE CxE CPLD, POLYPROPYLENE
4502-3000-025CEP	746041055165	3" x 25' BLUE CxE CPLD, POLYPROPYLENE
4502-3000-050CEP	746041055196	3" x 50' BLUE CxE CPLD, POLYPROPYLENE



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## RED PVC BULK WATER DISCHARGE HOSE

**TUBE & COVER:** Wine Red PVC

**REINFORCEMENT:** Polyester yarn

**BRANDING:** Jason logo ID WP XX (PSI)

**TEMPERATURE RANGE:** -14°F (-26°C) to +150°F (+66°C)

**FEATURES:** Medium duty hose; rolls flat for storage. Homogeneous construction eliminates tube and cover separation. Reinforced with polyester yarn, both tube and cover are extruded simultaneously to achieve maximum bonding.

**APPLICATION:** For general purpose water discharge in construction, agriculture and drip irrigation.



PART NUMBER	UPC	WP	DESCRIPTION
4504-1500	746041328009	115	1-1/2" x 300' RED PVC DISCHARGE HOSE
4504-2000	746041328016	115	2" x 300' RED PVC DISCHARGE HOSE
4504-2500	746041328047	115	2-1/2" x 300' RED PVC DISCHARGE HOSE
4504-3000	746041328054	100	3" x 300' RED PVC DISCHARGE HOSE

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PIN LUG COUPLED DISCHARGE HOSE

**Short Shank - Male/Female, Aluminum/Brass**

PART NUMBER	UPC	DESCRIPTION
4504-2000-050AB	746041328023	2" x 50' PVC RED, ALUM/BRASS, PIN LUG
4504-3000-050AB	746041328061	3" x 50' PVC RED, ALUM/BRASS, PIN LUG

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## CAM & GROOVE COUPLED DISCHARGE HOSE

**CxE Aluminum**

PART NUMBER	UPC	DESCRIPTION
4504-2000-050CE	746041328030	2" x 50' PVC RED, CxE COUPLED, ALUMINUM
4504-3000-050CE	746041328078	3" x 50' PVC RED, CxE COUPLED, ALUMINUM

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## HEAVY DUTY BULK DISCHARGE HOSE

PART NUMBER	UPC	WP	DESCRIPTION
4515-1500	746041328115	140	1-1/2" x 300' HD PVC DISCHARGE HOSE
4515-2000	746041328122	130	2" x 300' HD PVC DISCHARGE HOSE
4515-2500	746041328139	125	2-1/2" x 300' HD PVC DISCHARGE HOSE
4515-3000	746041328146	125	3" x 300' HD PVC DISCHARGE HOSE

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# PUMP HOSE & ACCESSORIES



## WHITE MUNICIPAL GRADE SINGLE JACKET MILL HOSE



**BULK**

**TUBE:** SBR, smooth

**REINFORCEMENT:** N/A

**COVER:** 100% polyester single jacket

**BRANDING:** I.D. SJ Mill WP XX (PSI) XX (BAR)

**TEMPERATURE RANGE:** -25°F (-32°C) to +185°F (+85°C)

**FEATURES:** Heavy-duty synthetic cover for better abrasion resistance and abuse. Higher working pressures.

**APPLICATION:** For water discharge service in rental yards, fleet service, municipal washdown, utility dewatering.

PART NUMBER	UPC	WP	DESCRIPTION
4705-0150-050	746041059842	230	1-1/2" x 50' WHITE DISCHARGE HOSE
4705-0150-100	746041059859	230	1-1/2" x 100' WHITE DISCHARGE HOSE
4705-0200-050	746041059866	230	2" x 50' WHITE DISCHARGE HOSE
4705-0200-100	746041059873	230	2" x 100' WHITE DISCHARGE HOSE
4705-0250-050	746041059880	200	2-1/2" x 50' WHITE DISCHARGE HOSE
4705-0250-100	746041059897	200	2-1/2" x 100' WHITE DISCHARGE HOSE
4705-0300-050	746041059903	200	3" x 50' WHITE DISCHARGE HOSE
4705-0300-100	746041059910	200	3" x 100' WHITE DISCHARGE HOSE
4705-0400-050	746041327545	200	4" x 50' WHITE DISCHARGE HOSE
4705-0400-100	746041327552	200	4" x 100' WHITE DISCHARGE HOSE
4705-0600-050	746041327569	200	6" x 50' WHITE DISCHARGE HOSE

**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information: [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PIN LUG COUPLED SINGLE JACKET MILL HOSE



### Short Shank - Male/Female, Aluminum/Brass

PART NUMBER	UPC	DESCRIPTION
4705-0150-050AB	746041327422	1-1/2" x 50' WHITE ALUM/BRASS, PIN LUG, 3/8 BANDS
4705-0200-050AB	746041327460	2" x 50' WHITE ALUM/BRASS, PIN LUG, 5/8 BANDS
4705-0300-050AB	746041327521	3" x 50' WHITE ALUM/BRASS, PIN LUG, 3/4 BANDS

**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLED SINGLE JACKET MILL HOSE



### CxE Aluminum

PART NUMBER	UPC	DESCRIPTION
4705-0150-050CE	746041327439	1-1/2" x 50' WHITE CxE COUPLED, 3/8 BANDS
4705-0200-050CE	746041327477	2" x 50' WHITE CxE COUPLED, 5/8 BANDS
4705-0300-050CE	746041327538	3" x 50' WHITE CxE COUPLED, 3/4 BANDS

**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## GREEN PVC BULK WATER SUCTION HOSE

**TUBE:** PVC, smooth, green

**REINFORCEMENT:** PVC helix

**COVER:** PVC, smooth to lightly corrugated, green

**BRANDING:** None

**TEMPERATURE RANGE:** -14°F (-26°C) to +150°F (+66°C)

**FEATURES:** Lightweight and flexible with a smooth tube. Cover is weather, ozone and UV resistant.

**APPLICATION:** Suction, discharge or gravity flow of water, salt water and oily water in construction, agriculture, mining or equipment rental



PART NUMBER	UPC	DESCRIPTION
4601-1000	746041055622	1" x 100' GREEN SUCTION HOSE
4601-1250	746041021504	1-1/4" x 100' GREEN SUCTION HOSE
4601-1500-010	746041065133	1-1/2" x 10' GREEN SUCTION HOSE
4601-1500-025	746041064655	1-1/2" x 25' GREEN SUCTION HOSE
4601-1500-050	746041064648	1-1/2" x 50' GREEN SUCTION HOSE
4601-1500	746041021511	1-1/2" x 100' GREEN SUCTION HOSE
4601-2000-010	746041065140	2" x 10' GREEN SUCTION HOSE
4601-2000-025	746041064662	2" x 25' GREEN SUCTION HOSE
4601-2000-050	746041064679	2" x 50' GREEN SUCTION HOSE
4601-2000	746041021528	2" x 100' GREEN SUCTION HOSE
4601-3000-010	746041065119	3" x 10' GREEN SUCTION HOSE
4601-3000-025	746041064686	3" x 25' GREEN SUCTION HOSE
4601-3000-050	746041064693	3" x 50' GREEN SUCTION HOSE
4601-3000	746041055639	3" x 100' GREEN SUCTION HOSE



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PIN LUG COUPLED GREEN PVC SUCTION HOSE

**Short Shank - Male/Female, Aluminum/Brass**

PART NUMBER	UPC	DESCRIPTION
4601-15015AB	746041428891	1-1/2" x 15' GREEN MxF ALUM/BRASS, PIN LUG
4601-15020AB	746041062453	1-1/2" x 20' GREEN MxF ALUM/BRASS, PIN LUG
4601-15025AB	746041063627	1-1/2" x 25' GREEN MxF ALUM/BRASS, PIN LUG
4601-20015AB	746041428914	2" x 15' GREEN MxF ALUM/BRASS, PIN LUG
4601-20020AB	746041022204	2" x 20' GREEN MxF ALUM/BRASS, PIN LUG
4601-20025AB	746041063634	2" x 25' GREEN MxF ALUM/BRASS, PIN LUG
4601-30015AB	746041062521	3" x 15' GREEN MxF ALUM/BRASS, PIN LUG
4601-30020AB	746041062460	3" x 20' GREEN MxF ALUM/BRASS, PIN LUG
4601-30025AB	746041063641	3" x 25' GREEN MxF ALUM/BRASS, PIN LUG



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLED GREEN PVC SUCTION HOSE

**CxE Polypropylene**

PART NUMBER	UPC	DESCRIPTION
4601-15015CEP	746041428907	1-1/2" x 15' GREEN CxE CPLD, POLYPROPYLENE
4601-15020CEP	746041063658	1-1/2" x 20' GREEN CxE CPLD, POLYPROPYLENE
4601-15025CEP	746041063665	1-1/2" x 25' GREEN CxE CPLD, POLYPROPYLENE
4601-20015CEP	746041415426	2" x 15' GREEN CxE CPLD, POLYPROPYLENE
4601-20020CEP	746041063306	2" x 20' GREEN CxE CPLD, POLYPROPYLENE
4601-20025CEP	746041063672	2" x 25' GREEN CxE CPLD, POLYPROPYLENE
4601-30015CEP	746041428921	3" x 15' GREEN CxE CPLD, POLYPROPYLENE
4601-30020CEP	746041063689	3" x 20' GREEN CxE CPLD, POLYPROPYLENE
4601-30025CEP	746041063696	3" x 25' GREEN CxE CPLD, POLYPROPYLENE



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

# PUMP HOSE & ACCESSORIES



## CLEAR/WHITE HELIX PVC WATER SUCTION HOSE



**TUBE:** PVC, smooth, clear

**REINFORCEMENT:** PVC helix

**COVER:** PVC, smooth to lightly corrugated, clear

**BRANDING:** None

**TEMPERATURE RANGE:** -14°F (-26°C) to +150°F (+66°C)

**FEATURES:** Lightweight and flexible with a smooth tube. Clear tube allows easy inspection. Cover is weather, ozone and UV resistant.

**APPLICATION:** Suction, discharge or gravity flow of water, salt water and oily water in construction, agriculture, mining or equipment rental.

PART NUMBER	UPC	DESCRIPTION
4615-0750	746041059477	3/4" x 100' WHITE HELIX SUCTION HOSE
4615-1000	746041055646	1" x 100' WHITE HELIX SUCTION HOSE
4615-1250	746041055653	1-1/4" x 100' WHITE HELIX SUCTION HOSE
4615-1500	746041055660	1-1/2" x 100' WHITE HELIX SUCTION HOSE
4615-2000	746041055677	2" x 100' WHITE HELIX SUCTION HOSE
4615-3000	746041055684	3" x 100' WHITE HELIX SUCTION HOSE

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## HD PVC FDA USDA 3-A LIQUID FOOD SUCTION HOSE



**CONSTRUCTION:** PVC tube with a sturdy clockwise PVC helix.

**TEMPERATURE RANGE:** -5°F (-23°C) to +140°F (+60°C)

**STANDARD LENGTHS:** 100 ft. lengths

**APPLICATION:** Transfer of food grade liquids, such as juices, wine, beer, potable water and dairy products.

**FEATURES:**

- Meets FDA requirements.
- Approved by USDA for use in meat and poultry plants.
- Meets 3-A sanitary standards, which includes processing dairy products.
- Clear visual flow.
- Vacuum up to 29" of Hg.

Part Number	I.D.		O.D.		Rein.	Max W.P. @68°F		Vacuum @68°F	Weight		Min. Bend Radius	
	In.	mm.	In.	mm.		PSI	BAR		lb./ft.	KG/m	In.	mm.
3010-0100-100	1	25.40	1.24	31.50	PVC Helix	71	4.90	29.9	0.26	0.39	3.0	76.2
3010-0125-100	1-1/4	31.75	1.54	39.12	PVC Helix	64	4.41	29.9	0.34	0.51	4.0	101.6
3010-0150-100	1-1/2	38.10	1.82	46.23	PVC Helix	57	3.93	29.9	0.44	0.65	6.0	152.4
3010-0200-100	2	50.80	2.39	60.71	PVC Helix	57	3.93	29.9	0.74	1.10	8.0	203.2
3010-0250-100	2-1/2	63.50	2.93	74.42	PVC Helix	57	3.93	29.9	1.01	1.50	10.0	254.0
3010-0300-100	3	76.20	3.43	87.12	PVC Helix	57	3.93	29.9	1.21	1.80	12.0	304.8
3010-0400-100	4	101.60	4.53	115.06	PVC Helix	43	2.97	29.9	2.02	3.01	15.0	381.0

**Note:** Vacuum and discharge pressures are temperature dependent.

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## GREEN/BLACK AGRICULTURE SOLUTION SUCTION HOSE - BULK

**BRANDING:** None

**TEMPERATURE RANGE:** -40°F (-40°C) to +140°F (+60°C)

**FEATURES:** NBR rubber with polyethylene helix characterizing a smooth tube and corrugated cover.

**APPLICATION:** For suction or discharge in cesspool cleaning, liquid waste, septic handling, construction and marine use. Ideal herbicide and pesticide transfer hose for agriculture. **DO NOT USE WITH ANHYDROUS AMMONIA.**



Part Number	UPC	I.D.	O.D.	WP	BEND RADIUS (IN)	DESCRIPTION
4654-0100-010	746041065102	1	1.34	50	1.9	1" x 10' NBR/PVC GRN/BLK SUCTION HOSE
4654-0100-025	746041064709	1	1.34	50	1.9	1" x 25' NBR/PVC GRN/BLK SUCTION HOSE
4654-0100-050	746041064754	1	1.34	50	1.9	1" x 50' NBR/PVC GRN/BLK SUCTION HOSE
4654-0100-100	746041062019	1	1.34	50	1.9	1" x 100' NBR/PVC GRN/BLK SUCTION HOSE
4654-0150-010	746041065188	1-1/2	1.85	50	3.8	1-1/2" x 10' NBR/PVC GRN/BLK SUCTION HOSE
4654-0150-025	746041064785	1-1/2	1.85	50	3.8	1-1/2" x 25' NBR/PVC GRN/BLK SUCTION HOSE
4654-0150-050	746041064792	1-1/2	1.85	50	3.8	1-1/2" x 50' NBR/PVC GRN/BLK SUCTION HOSE
4654-0150-100	746041062002	1-1/2	1.85	50	3.8	1-1/2" x 100' NBR/PVC GRN/BLK SUCTION HOSE
4654-0200-010	746041065171	2	2.43	50	5.5	2" x 10' NBR/PVC GRN/BLK SUCTION HOSE
4654-0200-025	746041064808	2	2.43	50	5.5	2" x 25' NBR/PVC GRN/BLK SUCTION HOSE
4654-0200-050	746041064761	2	2.43	50	5.5	2" x 50' NBR/PVC GRN/BLK SUCTION HOSE
4654-0200-100	746041057480	2	2.43	50	5.5	2" x 100' NBR/PVC GRN/BLK SUCTION HOSE
4654-0300-100	746041057497	3	3.52	45	7.5	3" x 100' NBR/PVC GRN/BLK SUCTION HOSE
4654-0400-100	746041428938	4	4.60	38	11.5	4" x 100' NBR/PVC GRN/BLK SUCTION HOSE

**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## BLACK RUBBER SUCTION HOSE - BULK

**TUBE:** EPDM/SBR, smooth, black

**REINFORCEMENT:** Synthetic cord with wire helix

**COVER:** EPDM/SBR, weather and ozone resistant, fabric impression

**BRANDING:** Jason logo, 4450 Water S/D

**TEMPERATURE RANGE:** -25°F (-32°C) to +185°F (+85°C)

**FEATURES:** Resistant to water based AG fertilizers and salt water. Flexible and economical.

**APPLICATION:** Lightweight and flexible suction/discharge hose for agriculture, construction, mining and equipment rental. Hose is resistant to herbicides/pesticides. Outstanding flexibility in cold weather.



Part Number	UPC	I.D.	O.D.	WP	BEND RADIUS (IN)	DESCRIPTION
4450-0125-100	746041055691	1-1/4	1.70	150	6	1-1/4" x 100' EPDM/SBR SUCTION HOSE
4450-0150-100	746041055707	1-1/2	1.96	150	8	1-1/2" x 100' EPDM/SBR SUCTION HOSE
4450-0200-100	746041055714	2	2.49	150	12	2" x 100' EPDM/SBR SUCTION HOSE
4450-0300-100	746041055721	3	3.50	150	18	3" x 100' EPDM/SBR SUCTION HOSE

Additional diameters available upon request.

**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# PUMP HOSE & ACCESSORIES



## STRAINERS FOR WATER SUCTION HOSE, FOG NOZZLES

Used on the submersed end of suction hose to prevent debris from entering the pump during operation. All threads are NPS (trash strainers are square hole).



### Polypropylene

PART NUMBER	UPC	DESCRIPTION
PS150	746041022563	1-1/2" POLYPROPYLENE STRAINER
PS200	746041022570	2" POLYPROPYLENE STRAINER


**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Round Hole

PART NUMBER	UPC	DESCRIPTION
RHS150	746041053253	1-1/2" ROUND HOLE STRAINER
RHS200	746041022556	2" ROUND HOLE STRAINER
RHS300	746041054854	3" ROUND HOLE STRAINER
RHS400	746041059743	4" ROUND HOLE STRAINER

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Square Hole

PART NUMBER	UPC	DESCRIPTION
SHS150	746041059736	1-1/2" SQUARE HOLE STRAINER
SHS200	746041022624	2" SQUARE HOLE STRAINER
SHS300	746041060091	3" SQUARE HOLE STRAINER
SHS400	746041060107	4" SQUARE HOLE STRAINER
SHS600	746041330194	6" SQUARE HOLE STRAINER

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Bottom Hole

PART NUMBER	UPC	DESCRIPTION
BHS150	746041059736	1-1/2" BOTTOM HOLE STRAINER
BHS200	746041022624	2" BOTTOM HOLE STRAINER
BHS300	746041060091	3" BOTTOM HOLE STRAINER

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Foot Valve

PART NUMBER	UPC	DESCRIPTION
FV150	746041333911	1-1/2" FOOT VALVE
FV200	746041333928	2" FOOT VALVE
FV300	746041059668	3" FOOT VALVE

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Fog Nozzle - Plastic

PART NUMBER	UPC	DESCRIPTION	THREAD
FN150-AG	746041334352	1-1/2" FOG NOZZLE	NPS
FN200-AG	746041485771	2" FOG NOZZLE	NPS

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### Fog Nozzle - Brass

PART NUMBER	UPC	DESCRIPTION	THREAD
FN150B-AG	746041334369	1-1/2" FOG NOZZLE	NPS
FN200B-AG	746041334390	2" FOG NOZZLE	NPS

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLINGS - A

### ALUMINUM Adapter x Female NPT

PART NUMBER	UPC	DESCRIPTION
A075A	746041060114	3/4" A ALUM ADAPTER x FEM NPT
A100A	746041023287	1" A ALUM ADAPTER x FEM NPT
A125A	746041023584	1-1/4" A ALUM ADAPTER x FEM NPT
A150A	746041060121	1-1/2" A ALUM ADAPTER x FEM NPT
A200A	746041022846	2" A ALUM ADAPTER x FEM NPT
A300A	746041022709	3" A ALUM ADAPTER x FEM NPT



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Adapter x Female NPT

PART NUMBER	UPC	DESCRIPTION
A050P	746041339609	1/2" A POLYPROPYLENE ADAPTER x FEM NPT
A075P	746041060282	3/4" A POLYPROPYLENE ADAPTER x FEM NPT
A100P	746041060299	1" A POLYPROPYLENE ADAPTER x FEM NPT
A125P	746041060305	1-1/4" A POLYPROPYLENE ADAPTER x FEM NPT
A150P	746041060312	1-1/2" A POLYPROPYLENE ADAPTER x FEM NPT
A200P	746041060329	2" A POLYPROPYLENE ADAPTER x FEM NPT
A300P	746041060336	3" A POLYPROPYLENE ADAPTER x FEM NPT



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## CAM & GROOVE COUPLINGS - B

### ALUMINUM Coupler x Male NPT

PART NUMBER	UPC	DESCRIPTION
B075A	746041060138	3/4" B ALUM COUPLER x ML NPT
B100A	746041023171	1" B ALUM COUPLER x ML NPT
B125A	746041060145	1-1/4" B ALUM COUPLER x ML NPT
B150A	746041060152	1-1/2" B ALUM COUPLER x ML NPT
B200A	746041022822	2" B ALUM COUPLER x ML NPT
B300A	746041022716	3" B ALUM COUPLER x ML NPT



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Coupler x Male NPT

PART NUMBER	UPC	DESCRIPTION
B050P	746041342180	1/2" B POLYPROPYLENE COUPLER x ML NPT
B075P	746041060343	3/4" B POLYPROPYLENE COUPLER x ML NPT
B100P	746041060350	1" B POLYPROPYLENE COUPLER x ML NPT
B125P	746041060367	1-1/4" B POLYPROPYLENE COUPLER x ML NPT
B150P	746041060374	1-1/2" B POLYPROPYLENE COUPLER x ML NPT
B200P	746041060381	2" B POLYPROPYLENE COUPLER x ML NPT
B300P	746041060398	3" B POLYPROPYLENE COUPLER x ML NPT



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# COUPLINGS



## CAM & GROOVE COUPLINGS - C



### ALUMINUM Coupler x Hose Shank

PART NUMBER	UPC	DESCRIPTION
C075A	746041060169	3/4" C ALUM COUPLER x SHANK
C100A	746041023188	1" C ALUM COUPLER x SHANK
C125A	746041060176	1-1/4" C ALUM COUPLER x SHANK
C150A	746041022679	1-1/2" C ALUM COUPLER x SHANK
C200A	746041022815	2" C ALUM COUPLER x SHANK
C300A	746041022723	3" C ALUM COUPLER x SHANK

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Coupler x Hose Shank

PART NUMBER	UPC	DESCRIPTION
C050P	746041341442	1/2" C POLYPROPYLENE COUPLER x SHANK
C075P	746041060404	3/4" C POLYPROPYLENE COUPLER x SHANK
C100P	746041060411	1" C POLYPROPYLENE COUPLER x SHANK
C125P	746041060428	1-1/4" C POLYPROPYLENE COUPLER x SHANK
C150P	746041060435	1-1/2" C POLYPROPYLENE COUPLER x SHANK
C200P	746041060442	2" C POLYPROPYLENE COUPLER x SHANK
C300P	746041060459	3" C POLYPROPYLENE COUPLER x SHANK

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLINGS - D



### ALUMINUM Coupler x Female NPT

PART NUMBER	UPC	DESCRIPTION
D075A	746041060183	3/4" D ALUM COUPLER x FEM NPT
D100A	746041023195	1" D ALUM COUPLER x FEM NPT
D125A	746041023201	1-1/4" D ALUM COUPLER x FEM NPT
D150A	746041052980	1-1/2" D ALUM COUPLER x FEM NPT
D200A	746041023423	2" D ALUM COUPLER x FEM NPT
D300A	746041022785	3" D ALUM COUPLER x FEM NPT

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Coupler x Female NPT

PART NUMBER	UPC	DESCRIPTION
D050P	746041342197	1/2" D POLYPROPYLENE COUPLER x FEM NPT
D075P	746041060466	3/4" D POLYPROPYLENE COUPLER x FEM NPT
D100P	746041060473	1" D POLYPROPYLENE COUPLER x FEM NPT
D125P	746041060480	1-1/4" D POLYPROPYLENE COUPLER x FEM NPT
D150P	746041060497	1-1/2" D POLYPROPYLENE COUPLER x FEM NPT
D200P	746041060503	2" D POLYPROPYLENE COUPLER x FEM NPT
D300P	746041060510	3" D POLYPROPYLENE COUPLER x FEM NPT

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## CAM & GROOVE COUPLINGS - E

### ALUMINUM Adapter x Hose Shank

PART NUMBER	UPC	DESCRIPTION
E075A	746041060268	3/4" E ALUM ADAPTER x SHANK
E100A	746041023218	1" E ALUM ADAPTER x SHANK
E125A	746041023225	1-1/4" E ALUM ADAPTER x SHANK
E150A	746041022686	1-1/2" E ALUM ADAPTER x SHANK
E200A	746041022693	2" E ALUM ADAPTER x SHANK
E300A	746041022983	3" E ALUM ADAPTER x SHANK



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Adapter x Hose Shank

PART NUMBER	UPC	DESCRIPTION
E050P	746041342210	1/2" E POLYPROPYLENE ADAPTER x SHANK
E075P	746041060633	3/4" E POLYPROPYLENE ADAPTER x SHANK
E100P	746041060640	1" E POLYPROPYLENE ADAPTER x SHANK
E125P	746041060657	1-1/4" E POLYPROPYLENE ADAPTER x SHANK
E150P	746041060664	1-1/2" E POLYPROPYLENE ADAPTER x SHANK
E200P	746041060671	2" E POLYPROPYLENE ADAPTER x SHANK
E300P	746041060688	3" E POLYPROPYLENE ADAPTER x SHANK



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## CAM & GROOVE COUPLINGS - F

### ALUMINUM Adapter x Male NPT

PART NUMBER	UPC	DESCRIPTION
F075A	746041060275	3/4" F ALUM ADAPTER x ML NPT
F100A	746041023232	1" F ALUM ADAPTER x ML NPT
F125A	746041054373	1-1/4" F ALUM ADAPTER x ML NPT
F150A	746041052997	1-1/2" F ALUM ADAPTER x ML NPT
F200A	746041022839	2" F ALUM ADAPTER x ML NPT
F300A	746041022730	3" F ALUM ADAPTER x ML NPT



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Adapter x Male NPT

PART NUMBER	UPC	DESCRIPTION
F050P	746041341459	1/2" F POLYPROPYLENE ADAPTER x ML NPT
F075P	746041334888	3/4" F POLYPROPYLENE ADAPTER x ML NPT
F100P	746041334895	1" F POLYPROPYLENE ADAPTER x ML NPT
F125P	746041334901	1-1/4" F POLYPROPYLENE ADAPTER x ML NPT
F150P	746041334918	1-1/2" F POLYPROPYLENE ADAPTER x ML NPT
F200P	746041334925	2" F POLYPROPYLENE ADAPTER x ML NPT
F300P	746041334935	3" F POLYPROPYLENE ADAPTER x ML NPT



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# COUPLINGS



## CAM & GROOVE COUPLINGS - DC



### ALUMINUM Dust Cap

PART NUMBER	UPC	DESCRIPTION
DC075A	746041060190	3/4" DC ALUM DUST CAP
DC100A	746041060206	1" DC ALUM DUST CAP
DC125A	746041060213	1-1/4" DC ALUM DUST CAP
DC150A	746041060220	1-1/2" DC ALUM DUST CAP
DC200A	746041023447	2" DC ALUM DUST CAP
DC300A	746041022792	3" DC ALUM DUST CAP

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Dust Cap

PART NUMBER	UPC	DESCRIPTION
DC075P	746041060527	3/4" DC POLYPROPYLENE DUST CAP
DC100P	746041060534	1" DC POLYPROPYLENE DUST CAP
DC125P	746041060541	1-1/4" DC POLYPROPYLENE DUST CAP
DC150P	746041060558	1-1/2" DC POLYPROPYLENE DUST CAP
DC200P	746041060565	2" DC POLYPROPYLENE DUST CAP
DC300P	746041060572	3" DC POLYPROPYLENE DUST CAP

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## CAM & GROOVE COUPLINGS - DP



### ALUMINUM Dust Plug

PART NUMBER	UPC	DESCRIPTION
DP075A	746041060237	3/4" DP ALUM DUST PLUG
DP100A	746041060244	1" DP ALUM DUST PLUG
DP125A	746041023591	1-1/4" DP ALUM DUST PLUG
DP150A	746041060251	1-1/2" DP ALUM DUST PLUG
DP200A	746041022990	2" DP ALUM DUST PLUG
DP300A	746041022747	3" DP ALUM DUST PLUG

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### POLYPROPYLENE Dust Plug

PART NUMBER	UPC	DESCRIPTION
DP075P	746041060589	3/4" DP POLYPROPYLENE DUST PLUG
DP100P	746041060596	1" DP POLYPROPYLENE DUST PLUG
DP125P	746041334857	1-1/4" DP POLYPROPYLENE DUST PLUG
DP150P	746041060602	1-1/2" DP POLYPROPYLENE DUST PLUG
DP200P	746041060619	2" DP POLYPROPYLENE DUST PLUG
DP300P	746041060626	3" DP POLYPROPYLENE DUST PLUG

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## PIN LUG SHANK COUPLINGS



PART NUMBER	UPC	DESCRIPTION
AB150	746041059484	1-1/2" ALUM W BRASS SWIVEL PIN LUG SET (MxF)
AB200	746041054397	2" ALUM W BRASS SWIVEL PIN LUG SET (MxF)
AB300	746041054403	3" ALUM W BRASS SWIVEL PIN LUG SET (MxF)
AB400	746041059491	4" ALUM W BRASS SWIVEL PIN LUG SET (MxF)
AB150F	746041059927	1-1/2" ALUM W BRASS SWIVEL FEM
AB200F	746041059934	2" ALUM W BRASS SWIVEL FEM
AB300F	746041059941	3" ALUM W BRASS SWIVEL FEM
AB400F	746041059958	4" ALUM W BRASS SWIVEL FEM

**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## RUBBER GASKETS

PART NUMBER	UPC	DESCRIPTION
HW150	746041428952	NITRILE RUBBER GASKETS 1-1/2"
HW200	746041428969	NITRILE RUBBER GASKETS 2"
HW300	746041428976	NITRILE RUBBER GASKETS 3"



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## COMBINATION HOSE NIPPLE

### UNPLATED

PART NUMBER	UPC	DESCRIPTION
CN050	746041059712	1/2" COMBINATION HOSE NIPPLE, UNPLATED
CN075	746041023249	3/4" COMBINATION HOSE NIPPLE, UNPLATED
CN100	746041023256	1" COMBINATION HOSE NIPPLE, UNPLATED
CN125	746041023263	1-1/4" COMBINATION HOSE NIPPLE, UNPLATED
CN150	746041059750	1-1/2" COMBINATION HOSE NIPPLE, UNPLATED
CN200	746041023270	2" COMBINATION HOSE NIPPLE, UNPLATED
CN250	746041060022	2-1/2" COMBINATION HOSE NIPPLE, UNPLATED
CN300	746041060046	3" COMBINATION HOSE NIPPLE, UNPLATED
CN400	746041059729	4" COMBINATION HOSE NIPPLE, UNPLATED



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



### PLATED

PART NUMBER	UPC	DESCRIPTION
CN050P	746041059507	1/2" COMBINATION HOSE NIPPLE, PLATED
CN075P	746041054380	3/4" COMBINATION HOSE NIPPLE, PLATED
CN100P	746041054410	1" COMBINATION HOSE NIPPLE, PLATED
CN125P	746041059545	1-1/4" COMBINATION HOSE NIPPLE, PLATED
CN150P	746041022761	1-1/2" COMBINATION HOSE NIPPLE, PLATED
CN200P	746041022808	2" COMBINATION HOSE NIPPLE, PLATED
CN250P	746041059583	2-1/2" COMBINATION HOSE NIPPLE, PLATED
CN300P	746041022778	3" COMBINATION HOSE NIPPLE, PLATED
CN400P	746041023430	4" COMBINATION HOSE NIPPLE, PLATED



**WARNING:** This product can expose you to chemicals including lead, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



## POLYPROPYLENE

PART NUMBER	UPC	DESCRIPTION
CN050PP	746041059514	1/2" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN075PP	746041059521	3/4" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN100PP	746041059538	1" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN125PP	746041059552	1-1/4" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN150PP	746041059569	1-1/2" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN200PP	746041059576	2" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN250PP	746041059590	2-1/2" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN300PP	746041059606	3" COMBINATION HOSE NIPPLE, POLYPROPYLENE
CN400PP	746041059613	4" COMBINATION HOSE NIPPLE, POLYPROPYLENE



**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



# TUBING & HOSE



## BRAIDED PVC TUBING



**TUBE:** PVC, crystal clear, non-toxic, FDA Grade  
**REINFORCEMENT:** Synthetic braid  
**COVER:** PVC, crystal clear, non-toxic, FDA Grade  
**BRANDING:** Jason logo WP (PSI) FDA Non-Toxic Country of Origin  
**TEMPERATURE RANGE:** -14°F (-26°C) to +140°F (+60°C)  
**FEATURES:** One piece long length coils, smooth as glass tube.  
 Resists chemical, ozone and weather deterioration.  
**APPLICATION:** Food and beverage dispensing, potable water, air breathing lines, packaging and equipment, lube lines and other visual flow applications.

PART NUMBER	UPC	DESCRIPTION
4511-0251-100	746041341039	1/4" x 100' CLEAR, SHRINK WRAP W/ LABEL, 250 PSI
4511-0381-100	746041053260	3/8" x 100' CLEAR, SHRINK WRAP W/ LABEL, 200 PSI
4511-0501-100	746041053192	1/2" x 100' CLEAR, SHRINK WRAP W/ LABEL, 150 PSI
4511-0631-100	746041053208	5/8" x 100' CLEAR, SHRINK WRAP W/ LABEL, 150 PSI
4511-0751-100	746041053185	3/4" x 100' CLEAR, SHRINK WRAP W/ LABEL, 150 PSI
4511-1001-100	746041053215	1" x 100' CLEAR, SHRINK WRAP W/ LABEL, 125 PSI

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## EVA TUBING



**TUBE:** Ethylene vinyl acetate  
**REINFORCEMENT:** N/A  
**TEMPERATURE RANGE:** -50°F (-46°C) to +125°F (+52°C)  
**FEATURES:** 25', 50' Shrink-wrapped. 100' boxed. 500' bulk  
**APPLICATION:** To handle common herbicides/insecticide solutions. Used for application of anhydrous ammonia, aqua ammonia, phosphate and all liquid fertilizers. Will not crack or harden, even in freezing temperatures.

PART NUMBER	UPC	DESCRIPTION
4507-0406-500	746041062347	1/4" x 1/8" WALL x 500' REEL
4507-0610-0025	746041058548	3/8" x 1/8" WALL x 25' SHRINK-WRAPPED COIL
4507-0610-0050	746041059675	3/8" x 1/8" WALL x 50' SHRINK-WRAPPED COIL
4507-0610-0100	746041062163	3/8" x 1/8" WALL x 100' BOXED
4507-0610-500	746041062354	3/8" x 1/8" WALL x 500' REEL
4507-0812-0025	746041058555	1/2" x 1/8" WALL x 25' SHRINK-WRAPPED COIL
4507-0812-0050	746041059682	1/2" x 1/8" WALL x 50' SHRINK-WRAPPED COIL
4507-0812-0100	746041062170	1/2" x 1/8" WALL x 100' BOXED
4507-0812-500	746041062361	1/2" x 1/8" WALL x 500' REEL
4507-1014-0025	746041057183	5/8" x 1/8" WALL x 25' SHRINK-WRAPPED COIL
4507-1014-0050	746041057190	5/8" x 1/8" WALL x 50' SHRINK-WRAPPED COIL
4507-1014-0100	746041059705	5/8" x 1/8" WALL x 100' BOXED
4507-1014-250	746041062378	5/8" x 1/8" WALL x 250' REEL
4507-1214-0025	746041057015	3/4" x 1/8" WALL x 25' SHRINK-WRAPPED COIL
4507-1214-0050	746041057053	3/4" x 1/8" WALL x 50' SHRINK-WRAPPED COIL
4507-1214-0100	746041057107	3/4" x 1/8" WALL x 100' BOXED
4507-1214-250	746041062385	3/4" x 1/8" WALL x 250' REEL
4507-1620-0025	746041057022	1" x 5/32" WALL x 25' SHRINK-WRAPPED COIL
4507-1620-0050	746041057060	1" x 5/32" WALL x 50' SHRINK-WRAPPED COIL
4507-1620-0100	746041057114	1" x 5/32" WALL x 100' BOXED
4507-1620-250	746041062392	1" x 5/32" WALL x 250' REEL

**WARNING:** This product can expose you to chemicals including DINP, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)

## EPDM SPRAYER HOSE

**TUBE:** EPDM

**REINFORCEMENT:** Polyester

**WORKING PRESSURE:** 200 PSI

**TEMPERATURE RANGE:** -40°F (-40°C) to +180°F (+82°C)

**APPLICATION:** Resists heat, sunlight, ozone and weathering. Lightweight and flexible. Accommodates many AG chemicals, including commonly used herbicides.  
**Not suitable for use with anhydrous ammonia or the transfer of petroleum products.**



**WARNING:** This product can expose you to chemicals including carbon black, which is known to the State of California to cause cancer or birth defects or other reproductive harm. For more information visit [www.P65WARNINGS.ca.gov](http://www.P65WARNINGS.ca.gov)



PART NUMBER	UPC	SIZE	SPIRAL
4298-0254-0010	746041437053	1/4" ID x 10'	2
4298-0254-0025	746041437107	1/4" ID x 25'	2
4298-0254-0050	746041437114	1/4" ID x 50'	2
4298-0254-0100	746041437121	1/4" ID x 100'	2
4298-0254-750	746041437138	1/4" ID x 750'	2
4298-0504-0010	746041437046	1/2" ID x 10'	2
4298-0504-0025	746041437183	1/2" ID x 25'	2
4298-0504-0050	746041437190	1/2" ID x 50'	2
4298-0504-0100	746041437206	1/2" ID x 100'	2
4298-0504-750	746041437213	1/2" ID x 750'	2
4298-0754-0010	746041437084	3/4" ID x 10'	4
4298-0754-0025	746041437268	3/4" ID x 25'	4
4298-0754-0050	746041437275	3/4" ID x 50'	4
4298-0754-500	746041437282	3/4" ID x 500'	4

PART NUMBER	UPC	SIZE	SPIRAL
4298-0374-0010	746041437060	3/8" ID x 10'	2
4298-0374-0025	746041437145	3/8" ID x 25'	2
4298-0374-0050	746041437152	3/8" ID x 50'	2
4298-0374-0100	746041437169	3/8" ID x 100'	2
4298-0374-750	746041437176	3/8" ID x 750'	2
4298-0624-0010	746041437077	5/8" ID x 10'	2
4298-0624-0025	746041437220	5/8" ID x 25'	2
4298-0624-0050	746041437237	5/8" ID x 50'	2
4298-0624-0100	746041437244	5/8" ID x 100'	2
4298-0624-500	746041437251	5/8" ID x 500'	2
4298-1004-0010	746041437091	1" ID x 10'	4
4298-1004-0025	746041437299	1" ID x 25'	4
4298-1004-0050	746041437305	1" ID x 50'	4
4298-1004-500	746041437312	1" ID x 500'	4

\*500' and 750' coils contain no more than two pieces.



AGRICULTURE / RETAIL  
PRODUCT CUSTOMER SERVICE

**+1.800.527.1247**

FAX:

**+1.630.752.0680**

Available for USA/Canada based customers.  
Please contact your sales rep for more info.

## TERMS, CONDITIONS AND LIMITED WARRANTY OF SALE

All prices, terms and conditions of sale are subject to change without prior notice. Buyer agrees to all terms and conditions of seller upon the placement of any and all purchase orders.

### GENERAL

- All orders are subject to a minimum charge of \$25.00.
- All claims must be made within seven (7) days of receipt of merchandise.
- The company reserves the right at all times to reject any and all orders for any reason.

### PAYMENT TERMS

- Net 30 days (to approved and qualified accounts).
- We reserve the right to hold shipments against past due accounts.
- Seller may require full or partial payment in advance if, in its sole judgement, the financial condition of the buyer does not justify the terms specified.
- All past due accounts are subject to a late payment charge of 1.5% per month, or maximum allowed by law if different, along with the expenses incidental to collection including reasonable attorney's fees.
- Returned checks are subject to a minimum \$50.00 charge.

### FREIGHT TERMS

- Freight Pre-Paid on \$2000.00 net orders. Belts and hose may be combined to reach net terms.
- Orders with different numbers and dates may not be combined to make freight allowance.
- Prepaid orders requiring immediate delivery that must be shipped from different Jason locations may be subject to a freight surcharge. Such determination will be made at the time of order.
- Backorders will be shipped in the most practical fashion with charges consistent with our freight policy established with the original order.

### ACCEPTANCE, ALTERATION AND CANCELLATION OF ORDERS

Orders for other than standard items or standard lengths may not be cancelled after purchase has been committed, production scheduled or any costs incurred.

### RETURN OF DEFECTIVE MERCHANDISE

Defective or failed material to be held at the buyer's premises until authorization has been granted by seller to return or dispose of merchandise. Merchandise to be returned for final inspection must be returned Freight Prepaid in the most economical way. Credit will be issued for material found to be defective upon our inspection based on prices at time of purchase.

### MERCHANDISE SHIPPED IN ERROR

Buyer must notify seller immediately on any merchandise shipped in error. Upon notification, merchandise is to be returned to seller either via truck on a Freight Collect basis, via carrier of our choice, or via UPS on a Freight Prepaid basis. Buyer will be reimbursed for cost of merchandise, plus any additional freight which may have been incurred due to shipping error.

### MERCHANDISE ORDERED IN ERROR

Standard packaged merchandise only may be returned, provided that the merchandise is in the original buyer's possession not more than 30 days. If merchandise is accepted for return, merchandise must be returned Freight Prepaid, and buyer will be charged a minimum of 15% rehandling charge, plus a chargeback for outbound freight charges if the original order was shipped prepaid. Returns are not accepted for any merchandise that is specifically manufactured to meet the buyer's requirement of either specifications or large quantity.

### DELIVERY, DAMAGES, SHORTAGES

Delivery to the initial common carrier shall constitute the delivery to the buyer. Our responsibility, insofar as transportation risks are concerned, ceases upon the delivery of the merchandise in good condition to such a carrier, and all the merchandise shall be shipped at the buyer's risk.

### GOODS DAMAGED IN SHIPMENT

Upon receipt of shipment, any evidence of damage to original shipping package must be reported by the receiving party and a claim made with the delivering carrier upon receipt of shipment.

### CONCEALED DAMAGE

Any evidence of damage to material shipped, upon the opening of the original shipping package, must be reported by the receiving party to and a claim made with the delivering carrier without delay.

AGRICULTURE / RETAIL  
PRODUCT CUSTOMER SERVICE

**+1.800.527.1247**

FAX:

**+1.630.752.0680**

Available for USA/Canada based customers.  
Please contact your sales rep for more info.

### LIMITED WARRANTY

The merchandise or products sold or distributed by Jason Industrial are warranted to our customers to be free from defects in material and workmanship at the time of shipment by us. All warranty claims shall be made within 90 days after we have shipped the merchandise. Our liability hereunder is limited to the purchase price of any merchandise proved defective, or, at our option, to the replacement of such merchandise upon its authorized return to us.

THIS WARRANTY IS IN LIEU OF AND EXCLUDES ALL OTHER WARRANTIES, EXPRESSED, IMPLIED, STATUTORY, OR OTHERWISE CREATED UNDER APPLICABLE LAW INCLUDING, BUT NOT LIMITED TO, THE WARRANTY OF MERCHANT ABILITY AND THE WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL WE BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING LOSS OF PROFITS.

Copyright Notice: Jason Industrial copyright. All rights reserved. Jason Industrial is and shall remain the owner of all rights on drawings, technical specifications and any other information contained in the present catalog or otherwise communicated by Jason Industrial to the customer. The customer shall not disclose such information to third parties or use such information for purposes different from the definition of the order to Jason Industrial, unless upon prior written authorization of Jason Industrial.





#### ARGENTINA

##### Buenos Aires

Phone +54 11 4218 2906

Info.ar@megadynegroup.com

##### Córdoba

Phone +54 0351 523 1666

Info.ar@megadynegroup.com

#### BRAZIL

##### Sorocaba

Phone +55 15 2101 7700

Info.br@megadynegroup.com

#### CANADA

##### Edmonton

Phone +1 780 461 4400

Info.ca@megadynegroup.com

##### Montreal

Phone +1 514 31 2341

Info.ca@megadynegroup.com

##### Toronto

Phone +1 905 602 4400

Info.ca@megadynegroup.com

#### CHILE

##### Santiago

Phone +56 2 2331 2900

Info.cl@megadynegroup.com

##### Puerto Montt

Phone +56 65 227 4995

Info.cl@megadynegroup.com

#### COLOMBIA

##### Bogotá

Phone +57 (1) 390 4325

Info.co@megadynegroup.com

##### Cartagena

Phone +57 (5) 693 2591

Info.co@megadynegroup.com

##### Mosquera, Cundinamarca

Phone +57 (5) 893 9890

Info.co@megadynegroup.com

#### MÉXICO

##### México C.P.

Phone +52 55 5587 3680

info.mx@megadynegroup.com

#### PERÚ

##### Lima

Phone +51 713 0069

info.pe@megadynegroup.com

#### U.S.A

##### California

Phone +1 323 265 8061

info.us@megadynegroup.com

##### Florida

Phone +1 813 241 4111

info.us@megadynegroup.com

##### Georgia

Phone +1 770 887 9725

info.us@megadynegroup.com

##### Illinois -

##### Hose Distribution Center

Phone +1 630 752 0600

info.us@megadynegroup.com

221 S. Westgate Dr.

Carol Stream, IL 60188

##### New York

Phone +1 716 667 7450

info.us@megadynegroup.com

##### North Carolina

Phone +1 704 583 5388

info.us@megadynegroup.com

##### Oregon

Phone +1 503 231 7224

info.us@megadynegroup.com

##### Texas

Phone +1 972 438 6992

info.us@megadynegroup.com

#### HEADQUARTERS

##### New Jersey

Phone +1 973 227 4904

info.us@megadynegroup.com

5 Dedrick Pl

West Caldwell, NJ 07006

[www.jasonindustrial.com](http://www.jasonindustrial.com)

AGRICULTURE / RETAIL  
PRODUCT CUSTOMER SERVICE

**+1.800.527.1247**

FAX:

**+1.630.752.0680**

Available for USA/Canada based customers.  
Please contact your sales rep for more info.

—WE MAKE YOUR BUSINESS MOVE.

